CONTENTS

PART 1 JULY 1997

BILLKER, O., SHAW, M. K., MARGOS, G. AND SINDEN, R. E. The roles of temperature, pH and mosquito factors as triggers of male and female gametogenesis of *Plasmodium berghei in vitro* 1

DUBEY, J. P., SHEN, S. K., KWOK, O. C. H. AND THULLIEZ, P. Toxoplasmosis in rats (*Rattus norvegicus*): congenital transmission to first and second generation offspring and isolation of *Toxoplasma gondii* from seronegative rats 9

DUBEY, J. P. Tissue cyst tropism in *Toxoplasma gondii*: a comparison of tissue cyst formation in organs of cats, and rodents fed oocysts 15

HIRSCH, C., ZOUAIN, C. S., ALVES, J. B. AND GOES, A. M. Induction of protective immunity and modulation of granulomatous hypersensitivity in mice using PIII, an anionic fraction of *Schistosoma mansoni* adult worm 21

DALTON, J. P., DAY, S. R., DREW, A. C. AND BRINDLEY, P. J. A method for the isolation of schistosome eggs and miracidia free of contaminating host tissues 29

GOBERT, G. N., STENZEL, D. J., JONES, M. K. AND McMANUS, D. P. Immunolocalization of the fatty acid-binding protein Sj-FABPc within adult *Schistosoma japonicum* 33

VENEGAS, J., ORTIZ, S., MUNOZ, S. AND SOLARI, A. Molecular karyotype and schizodeme analyses of *Trypanosoma cruzi* stocks from Chilean triatomines 41

BEATTIE, P. AND GULL, K. Cytoskeletal architecture and components involved in the attachment of *Trypanosoma congolense* epimastigotes 47

LIU, C. T., HOU, R. F., ASHIDA, M. AND CHEN, C. C. Effects of inhibitors of serine protease, phenoloxidase and dopa decarboxylase on the melanization of *Dirofilaria immitis* microfilariae with *Armigeres subalbatus* haemolymph *in vitro* 57

GEETS, A., COENE, H. AND OLLEVIER, F. Ectoparasites of the whitespotted rabbitfish, *Siganus sutor* (Valenciennes, 1835) off the Kenyan Coast: distribution within the host population and site selection on the gills 69

GRANDE, N., PRECIGOUT, E., ANCELIN, M. L., MOUBRI, K., CARCY, B., LEMESRE, J. L., VIAL, H. AND GORENFLOT, A. Continuous *in vitro* culture of *Babesia divergens* in a serum-free medium 81

GANAPAMO, F., RUTTI, B. AND BROSSARD, M. Identification of the *Ixodes ricinus* salivary gland fraction through its ability to stimulate CD4 T cells present in BALB/c mice lymph nodes draining the tick fixation site 91

MADDER, M. AND BERKVENS, D. L. Evaluation of an *in vitro* method to measure behavioural diapause in the tick *Rhipicephalus appendiculatus* (Acarina: Ixodidae) in the laboratory 97

McGONIGLE, S., CURLEY, G. P. AND DALTON, J. P. Cloning of peroxiredoxin, a novel antioxidant enzyme, from the helminth parasite *Fasciola hepatica* 101

BLANKESPOOR, C. L., PAPPAS, P. W. AND EISNER, T. Impairment of the chemical defence of the beetle, *Tenebrio molitor*, by metacestodes (cysticercoids) of the tapeworm, *Hymenolepis diminuta* 105

PART 2 AUGUST 1997

FELLEISEN, R. S. J. Comparative sequence analysis of 5·8S rRNA genes and internal transcribed spacer (ITS) regions of trichomonadid protozoa 111

TAYLOR, L. H., WALLIKER, D. AND READ, A. F. Mixed-genotype infections of the rodent malaria *Plasmodium chabaudi* are more infectious to mosquitoes than single-genotype infections 121

HASTINGS, I. M. A model for the origins and spread of drug-resistant malaria 133

QUINNELL, R. J., COURTENAY, O., GARCEZ, L. AND DYE, C. The epidemiology of canine leishmaniasis: transmission rates estimated from a cohort study in Amazonian Brazil 143

TERRY, R. S., DUNN, A. M. AND SMITH, J. E. Cellular distribution of a feminizing microsporidian parasite: a strategy for transovarial transmission 157
SIDDALL, M. E., REECE, K. S., GRAVES, J. E. AND BURRESON, E. M. 'Total evidence' refutes the inclusion of *Perkinsus* species in the phylum Apicomplexa 165
VAN HELLEMOND, J. J., VAN REMOORTERE, A. AND TIELENS, A. G. M. *Schistosoma mansoni* sporocysts contain rhodoquinone and produce succinate by fumarate reduction 177
ROBERTSON, A. P., MARTIN, R. J. AND KUSEL, J. R. A vesicle preparation for resolving single-channel currents in tegument of male *Schistosoma mansoni* 183
NÚÑEZ, P. E. AND DE JONG-BRINK, M. The suppressive excretory-secretory product of *Trichobilharzia ocellata*: a possible factor for determining compatibility in parasite–host interactions 193
MARTIN, R. M., CSAR, X. F., GASSER, R. B., FELLEISEN, R. AND LIGHTOWLERS, M. W. Myophilin of *Echinococcus granulosus*: isoforms and phosphorylation by protein kinase C 205
TRIM, N., HOLDEN-DYE, L., RUDDELL, R. AND WALKER, R. J. The effects of the peptides AF3 (AVPGVLRFamide) and AF4 (GDVPGVLRF amide) on the somatic muscle of the parasitic nematodes *Ascaris suum* and *Ascaridia galli* 213

PART 3 SEPTEMBER 1997

WANG, P., SIMS, P. F. G. AND HYDE, J. E. A modified *in vitro* sulfadoxine susceptibility assay for *Plasmodium falciparum* suitable for investigating Fansidar resistance 223
KAR, K. Folic acid the essential supplement to brain heart infusion broth for cultivation and cloning of *Leishmania donovani* promastigotes 231
DARANI, H. Y., CURTIS, R. H. C., McNEICE, C., PRICE, H. P., SAYERS, J. R. AND DOENHOFF, M. J. *Schistosoma mansoni*: anomalous immunogenic properties of a 27 kDa larval serine protease associated with protective immunity 237
DE BONT, J., VERCRUYSSE, J., GRZYCH, J. M., MEEUS, P. F. M. AND CAPRON, A. Potential of a recombinant *Schistosoma bovis*-derived glutathione S-transferase to protect cattle against experimental and natural *S. mattheei* infection 249
JOHANSEN, M. V., BØGH, H. O., GIVER, H., ERIKSEN, L., NANSEN, P., STEPHENSON, L. AND KNUDSEN, K. E. B. *Schistosoma japonicum* and *Trichuris suis* infections in pigs fed diets with high and low protein 257
RANDOLPH, S. E. AND ROGERS, D. J. A generic population model for the African tick *Rhipicephalus appendiculatus* 265
MONEYPENNY, C. G., MAULE, A. G., SHAW, C., DAY, T. A., PAX, R. A. AND HALTON, D. W. Physiological effects of platyhelminth FMRFamide-related peptides (FaRPs) on the motility of the monogenean *Diclidophora merlangi* 281
JEZIORSKI, M. C., GREENBERG, R. M. AND ANDERSON, P. A. V. Cloning of a putative voltage-gated sodium channel from the turbullarian flatworm *Bdelloura candida* 289
TAYLOR, K. AND HOOLE, D. Interactions between rat C-reactive protein and adult *Hymenolepis diminuta* 297
MORGAN, M., BEHNKE, J. M., LUCAS, J. A. AND PEBERDY, J. F. *In vitro* assessment of the influence of nutrition, temperature and larval density on trapping of the infective larvae of *Heligmosomoides polygyrus* by *Arthrobotrys oligospora*, *Duddingtonia flagrans* and *Monacrosporium megalosporum* 303
RIGA, E., HOLDSWORTH, D. R., PERRY, R. N., BARRETT, J. AND JOHNSTON, M. R. L. Electrophysiological analysis of the response of males of the potato cyst nematode, *Globodera rostochiensis*, to fractions of their homospecific sex pheromone 311
WEDEKIND, C. The infectivity, growth, and virulence of the cestode *Schistocephalus solidus* in its first intermediate host, the copepod *Macrocyclops albidus* 317
ANDERSON, T. J. C. AND JAENIKE, J. Host specificity, evolutionary relationships and macrogeographic differentiation among *Ascaris* populations from humans and pigs 325

PART 4 OCTOBER 1997

CHOUICHA, N., LANOTTE, G., PRATLONG, F., CUBA CUBA, C. A., VELEZ, I. D. AND DEDET, J. P. Phylogenetic taxonomy of *Leishmania* (*Viannia*) *braziliensis* based on isoenzymatic study of 137 isolates 343

RODRIGUEZ, N., DE LIMA, H., RODRIGUEZ, A., BREWSTER, S. AND BARKER, D. C. Genomic DNA repeat from *Leishmania* (*Viannia*) *braziliensis* (Venezuelan strain) containing simple repeats and microsatellites 349

PIMENTA, P. F. P., MODI, G. B., PEREIRA, S. T., SHAHABUDDIN, M. AND SACKS, D. L. A novel role for the peritrophic matrix in protecting *Leishmania* from the hydrolytic activities of the sand fly midgut 359

HEMPHILL, A., FUCHS, N., SONDA, S., GOTTSTEIN, B. AND HENTRICH, B. Identification and partial characterization of a 36 kDa surface protein on *Neospora caninum* tachyzoites 371

DUNN, A. M. AND HATCHER, M. J. The effect of salinity on transovarial transmission of a microsporidian infecting *Gammarus duebeni* 381

KONISHI, E. Monoclonal antibodies multireactive with parasite antigens produced by hybridomas generated from naive mice 387

COCUDE, C., PIERROT, C., CETRE, C., GODIN, C., CAPRON, A. AND KHALIFE, J. Molecular characterization of a partial sequence encoding a novel *Schistosoma mansoni* serine protease 395

MULLER, E., GARGANI, D., BANULS, A. L., TIBAYRENC, M. AND DOLLET, M. Classification of plant trypanosomatids (*Phytomonas* spp.): parity between random-primer DNA typing and multilocus enzyme electrophoresis 403

BLAIR, D., AGATSUMA, T., WATANOBE, T., OKAMOTO, M. AND ITO, A. Geographical genetic structure within the human lung fluke, *Paragonimus westermani*, detected from DNA sequences 411

TRIPET, F. AND RICHNER, H. The coevolutionary potential of a 'generalist' parasite, the hen flea *Ceratophyllus gallinae* 419

DUNCAN, L. H., ROBERTSON, L., ROBERTSON, W. M. AND KUSEL, J. R. Isolation and characterization of secretions from the plant-parasitic nematode *Globodera pallida* 429

JUNGERSEN, G., ERIKSEN, L., NANSEN, P. AND FAGERHOLM, H.-P. Sex-manipulated *Ascaris suum* infections in pigs: implications for reproduction 439

ROEPSTORFF, A., ERIKSEN, L., STOTVED, H.-C. AND NANSEN, P. Experimental *Ascaris suum* infection in the pig: worm population kinetics following single inoculations with three doses of infective eggs 443

FELIU, C., RENAUD, F., CATZEFLIS, F., HUGOT, J.-P., DURAND, P. AND MORAND, S. A comparative analysis of parasite species richness of Iberian rodents 453

PART 5 NOVEMBER 1997

RUDIN, W., QUESNIAUX, V., FAVRE, N. AND BORDMANN, G. Malaria toxins from *P. chabaudi chabaudi* AS and *P. berghei* ANKA cause dyserythropoiesis in C57 BL/6 mice 467

BORDMANN, G., FAVRE, N. AND RUDIN, W. Malaria toxins: effects on murine spleen and bone marrow cell proliferation and cytokine production *in vitro* 475

SCHETTERS, TH. P. M., MOUBRI, K., PRÉCIGOUT, E., KLEUSKENS, J., SCHOLTES, N. C. AND GORENFLOT, A. Different *Babesia canis* isolates, different diseases 485

TEKIEL, V. S., MIRKIN, G. A. AND GONZALEZ CAPPA, S. M. Chagas' disease: reactivity against homologous tissues induced by different strains of *Trypanosoma cruzi* 495

BUCKLE, A. C., RILEY, J. AND HILL, G. F. The *in vitro* development of the pentastomid *Porocephalus crotali* from the infective instar to the adult stage 503

SPIEGEL, Y., KAHANE, I., COHEN, L. AND SHARON, E. *Meloidogyne javanica* surface proteins: characterization and lability 513

HAAG, K. L., ZAHA, A., ARAÚJO, A. M. AND GOTTSTEIN, B. Reduced genetic variability within coding and non-coding regions of the *Echinococcus multilocularis* genome 521

ROBINSON, M. AND GUSTAD, T. R. *Heligmosomoides polygyrus* superantigen: differential response with mouse and human lymphocytes 531

MAGNAVAL, J.-F., GALINDO, V., GLICKMAN, L. T. AND CLANET, M. Human *Toxocara* infection of the central nervous system and neurological disorders: a case-control study 537

CHRISTENSEN, C. M., BARNES., E. H. AND NANSEN, P. Experimental *Oesophagostomum dentatum* infections in the pig: worm populations at regular intervals during trickle infections with three dose levels of larvae 545

BROWNLEE, D. J. A., HOLDEN-DYE, L. AND WALKER, R. J. Actions of the anthelmintic ivermectin on the pharyngeal muscle of the parasitic nematode, *Ascaris suum* 553

PART 6 DECEMBER 1997

ARAYA, J., CANO, M. I., GOMES, H. B. M., NOVAK, E. M., REQUENA, J. M., ALONSO, C., LEVIN, M. J., GUEVARA, P., RAMIREZ, J. L. AND FRANCO DE SILVEIRA, J. Characterization of an interspersed repetitive DNA element in the genome of *Trypanosoma cruzi* 563

KOMBA, E. K., KIBONA, S. N., AMBWENE, A. K., STEVENS, J. R. AND GIBSON, W. C. Genetic diversity among *Trypanosoma brucei rhodesiense* isolates from Tanzania 571

HEMPHILL, A., FELLEISEN, R., CONNOLLY, B., GOTTSTEIN, B., HENTRICH, B. AND MÜLLER, N. Characterization of a cDNA-clone encoding Nc–p43, a major *Neospora caninum* tachyzoite surface protein 581

OGDEN, N. H., NUTTALL, P. A. AND RANDOLPH, S. E. Natural Lyme disease cycles maintained by sheep *via* co-feeding ticks 591

NUNES, A. C., ALMEIDA-CAMPOS, F. R., HORTA, M. F. AND RAMALHO-PINTO, F. J. *Leishmania amazonensis* promastigotes evade complement killing by interfering with the late steps of the cascade 601

COUVREUR, B., JACQUET, D., BOLLEN, A. AND LE RAY, D. Molecular characterization of antigen 24, a specific immunodominant antigen family from *Leishmania infantum* 611

MÜLLER-GRAF, C. D. M., COLLINS, D. A., PACKER, C. AND WOOLHOUSE, M. E. J. *Schistosoma mansoni* infection in a natural population of olive baboons (*Papio cynocephalus anubis*) in Gombe Stream National Park, Tanzania 621

SCHÜßLER, P., GREVELDING, C. G. AND KUNZ, W. Identification of Ras, MAP kinases, and a GAP protein in *Schistosoma mansoni* by immunoblotting and their putative involvement in male–female interaction 629

GREVELDING, C. G., SOMMER, G. AND KUNZ, W. Female-specific gene expression in *Schistosoma mansoni* is regulated by pairing 635

BOIREAU, P., VAYSSIER, M., FABIEN, J. F., PERRET, C., CALAMEL, M. AND SOULÉ, C. Characterization of eleven antigenic groups in *Trichinella* genus and identification of stage and species markers 641

TALESA, V., ROMANI, R., GRAUSO, M., ROSI, G. AND GIOVANNINI, E. Expression of a single dimeric membrane-bound acetylcholinesterase in *Parascaris equorum* 653

OKAMOTO, M., AGATSUMA, T., KUROSAWA, T. AND ITO, A. Phylogenetic relationships of three hymenolepidid species inferred from nuclear ribosomal and mitochondrial DNA sequences 661

TAYLOR, K., KUSEL, J. R. AND HOOLE, D. Membrane fluidity on the surface of *Hymenolepis diminuta* (Cestoda): immunological implications 667